

Surname: _____

Forename: _____

Bring this completed pack with you to your first lesson with each chemistry teacher

Science at Nobel



A-Level Chemistry Summer Bridging Pack

GCSE		
Subject	Grade requirement for A-level	Grade achieved
Biology	6	
Chemistry	6	
Physics	6	
Combined Sci	7-6	
Maths	6	
English literature	5	
English language	5	
Average points score	5.8	

Contents

Page	Content	Out of	Score
3	Introduction	n/a	n/a
4	Links	n/a	n/a
4	Contact information	n/a	n/a
5	Extracts from A-level Data Sheet: (physical data and periodic table)	n/a	n/a
	Questions:	n/a	n/a
7	1. Atomic structure	34	
11	2. Periodic table	21	
13	3. Stoichiometry	7	
14	4. Amount of substance	111	
23	5. Structure and bonding	55	
29	6. Acids and alkalis	13	
30	7. Redox	13	
31	8. Rate of reaction	44	
39	9. Organic chemistry	16	
	Total score:	314	
40	Optional research task	n/a	Teacher comment:

Introduction

This bridging work is designed to help you bridge the gap between your GCSE Science studies and the AS/A Level Chemistry course. It includes a list of topics from GCSE that will be helpful for you to review and practice, in order to underpin your studies in sixth form.

Why do bridging work?

What it takes to be successful at GCSE is different from being successful at A-level. Although you have fewer subjects you will be expected to master skills at post 16 at a higher level and the detail, depth and volume of work are more demanding.

Bridging work should help you gauge whether the subject is for you. We would rather you study courses that interest you and you are sufficiently qualified to study.

This booklet is designed to recap GCSE knowledge you will need to be successful in A-Level Chemistry as well as introduce simple topics that you will cover in more detail throughout the course. These should give you an idea of the course as well as your suitability for it.

This completed pack will sit at the front of your A-level chemistry folder for you and your teacher to refer to when needed.

Is the bridging work assessed?

In September, your teachers will check that you have completed all the tasks in this pack. You will complete a multiple-choice Quiz on Microsoft Form for homework. Based on this, your teacher(s) may request to review your bridging work in more detail.

Bridging work also assesses your work ethic and so that your teachers pick up on students which show a poor work ethic and support them accordingly.

Completion of this pack

You are expected to complete all the sections in this pack. If you get stuck, use your problem-solving skills to get 'unstuck'. You should use resources such as:

- The Hub
- Wakelet
- Physics and Maths Tutor
- FreeScienceLessons
- Primrose Kitten
- Cognito
- YouTube
- textbooks
- peers/family

If you have exhausted these options, you can email a chemistry teacher with your specific question(s).

Links

- The Hub Year 11
https://nobelhertssch.sharepoint.com/sites/NS_Subjects_CHM/Year%2011/Forms/AllItems.aspx
- The Hub Year 10
https://nobelhertssch.sharepoint.com/sites/NS_Subjects_CHM/Year%2010/Forms/AllItems.aspx
- Wakelet Triple Chemistry <https://wakelet.com/wake/EnTjDeoo-uVPn32bcVv0m>
- Wakelet GCSE Science Videos <https://wakelet.com/wake/NceavkRW6ZbxkoCeLKQVkl>
- Physics and Maths Tutor <https://www.physicsandmathstutor.com/>
- FreeScienceLessons
https://www.youtube.com/channel/UCqbOeHaAUXw9II7sBVG3_bw
<https://www.freesciencelessons.co.uk/>
- Primrose Kitten <https://www.youtube.com/channel/UCBgvmal8AR4QIK2e0EfJwaA>
<https://www.primrosekitten.com/>
- Cognito <https://www.youtube.com/@Cognitoedu> <https://cognitoedu.org/home.html>
- Kerboodle (online textbook)
https://www.kerboodle.com/users/login?user_return_to=%2Fapp

Contact information

Ms Redmond Anna.Redmond@nobel.herts.sch.uk

Mrs Pearson Amy.Pearson@nobel.herts.sch.uk

Mrs Waites Nicola.Waites@nobel.herts.sch.uk

Ms Mordaunt Jackie.Mordaunt@nobel.herts.sch.uk

Mr Whitten Robert.Whitten@nobel.herts.sch.uk

Dr Newtis Emma.Newtis@nobel.herts.sch.uk

Extracts from A-level Data Sheet

Molar gas volume = $24.0 \text{ dm}^3 \text{ mol}^{-1}$ at room temperature and pressure, RTP

Avogadro constant, $N_A = 6.02 \times 10^{23} \text{ mol}^{-1}$

Specific heat capacity of water, $c = 4.18 \text{ J g}^{-1} \text{ K}^{-1}$

Ionic product of water, $K_w = 1.00 \times 10^{-14} \text{ mol}^2 \text{ dm}^{-6}$ at 298 K

1 tonne = 10^6 g

Arrhenius equation: $k = Ae^{-E_a/RT}$ or $\ln k = -E_a/RT + \ln A$


Gas constant, $R = 8.314 \text{ J mol}^{-1} \text{ K}^{-1}$

The Periodic Table of the Elements

(1)	(2)	Key atomic number Symbol name relative atomic mass										(3)	(4)	(5)	(6)	(7)	(0)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
1 H hydrogen 1.0	3 Li lithium 6.9	4 Be beryllium 9.0	11 Na sodium 23.0	12 Mg magnesium 24.3	19 K potassium 39.1	20 Ca calcium 40.1	21 Sc scandium 45.0	22 Ti titanium 47.9	23 V vanadium 50.9	24 Cr chromium 52.0	25 Mn manganese 54.9	26 Fe iron 55.8	27 Co cobalt 58.9	28 Ni nickel 58.7	29 Cu copper 63.5	30 Zn zinc 65.4	31 Ga gallium 69.7	32 Ge germanium 72.6	33 As arsenic 74.9	34 Se selenium 79.0	35 Br bromine 79.9	36 Kr krypton 83.8																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
37 Rb rubidium 85.5	38 Sr strontium 87.6	39 Y yttrium 88.9	40 Zr zirconium 91.2	41 Nb niobium 92.9	42 Mo molybdenum 95.9	43 Tc technetium	44 Ru ruthenium 101.1	45 Rh rhodium 102.9	46 Pd palladium 106.4	47 Ag silver 107.9	48 Cd cadmium 112.4	49 In indium 114.8	50 Sn tin 118.7	51 Sb antimony 121.8	52 Te tellurium 127.6	53 I iodine 126.9	54 Xe xenon 131.3	55 Cs caesium 132.9	56 Ba barium 137.3	57-71 lanthanoids	72 Hf hafnium 178.5	73 Ta tantalum 180.9	74 W tungsten 183.8	75 Re rhenium 186.2	76 Os osmium 190.2	77 Ir iridium 192.2	78 Pt platinum 195.1	79 Au gold 197.0	80 Hg mercury 200.6	81 Tl thallium 204.4	82 Pb lead 207.2	83 Bi bismuth 209.0	84 Po polonium	85 At astatine	86 Rn radon																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
87 Fr francium	88 Ra radium	89-103 actinoids	104 Rf rutherfordium	105 Db dubnium	106 Sg seaborgium	107 Bh bohrium	108 Hs hassium	109 Mt meitnerium	110 Ds darmstadtium	111 Rg roentgenium	112 Cn copernicium	113 Nh nihonium	114 Fl flerovium	115 Mc moscovium	116 Lv livermorium	117 Ts tennessine	118 Og oganesson	119 Uue unbinilium	120 Uuh ununilium	121 Uut ununtrium	122 Uuq ununquadium	123 Uup ununpentium	124 Uuq ununhexium	125 Uub ununheptium	126 Uuq ununoctium	127 Uus ununnonium	128 Uuo unundecium	129 Uuh unundundecium	130 Uub ununbium	131 Uut ununtrium	132 Uuq ununquadium	133 Uup ununpentium	134 Uuq ununhexium	135 Uub ununheptium	136 Uuq ununoctium	137 Uus ununnonium	138 Uuo unundecium	139 Uuh unundundecium	140 Uub ununbium	141 Uut ununtrium	142 Uuq ununquadium	143 Uup ununpentium	144 Uuq ununhexium	145 Uub ununheptium	146 Uuq ununoctium	147 Uus ununnonium	148 Uuo unundecium	149 Uuh unundundecium	150 Uub ununbium	151 Uut ununtrium	152 Uuq ununquadium	153 Uup ununpentium	154 Uuq ununhexium	155 Uub ununheptium	156 Uuq ununoctium	157 Uus ununnonium	158 Uuo unundecium	159 Uuh unundundecium	160 Uub ununbium	161 Uut ununtrium	162 Uuq ununquadium	163 Uup ununpentium	164 Uuq ununhexium	165 Uub ununheptium	166 Uuq ununoctium	167 Uus ununnonium	168 Uuo unundecium	169 Uuh unundundecium	170 Uub ununbium	171 Uut ununtrium	172 Uuq ununquadium	173 Uup ununpentium	174 Uuq ununhexium	175 Uub ununheptium	176 Uuq ununoctium	177 Uus ununnonium	178 Uuo unundecium	179 Uuh unundundecium	180 Uub ununbium	181 Uut ununtrium	182 Uuq ununquadium	183 Uup ununpentium	184 Uuq ununhexium	185 Uub ununheptium	186 Uuq ununoctium	187 Uus ununnonium	188 Uuo unundecium	189 Uuh unundundecium	190 Uub ununbium	191 Uut ununtrium	192 Uuq ununquadium	193 Uup ununpentium	194 Uuq ununhexium	195 Uub ununheptium	196 Uuq ununoctium	197 Uus ununnonium	198 Uuo unundecium	199 Uuh unundundecium	200 Uub ununbium	201 Uut ununtrium	202 Uuq ununquadium	203 Uup ununpentium	204 Uuq ununhexium	205 Uub ununheptium	206 Uuq ununoctium	207 Uus ununnonium	208 Uuo unundecium	209 Uuh unundundecium	210 Uub ununbium	211 Uut ununtrium	212 Uuq ununquadium	213 Uup ununpentium	214 Uuq ununhexium	215 Uub ununheptium	216 Uuq ununoctium	217 Uus ununnonium	218 Uuo unundecium	219 Uuh unundundecium	220 Uub ununbium	221 Uut ununtrium	222 Uuq ununquadium	223 Uup ununpentium	224 Uuq ununhexium	225 Uub ununheptium	226 Uuq ununoctium	227 Uus ununnonium	228 Uuo unundecium	229 Uuh unundundecium	230 Uub ununbium	231 Uut ununtrium	232 Uuq ununquadium	233 Uup ununpentium	234 Uuq ununhexium	235 Uub ununheptium	236 Uuq ununoctium	237 Uus ununnonium	238 Uuo unundecium	239 Uuh unundundecium	240 Uub ununbium	241 Uut ununtrium	242 Uuq ununquadium	243 Uup ununpentium	244 Uuq ununhexium	245 Uub ununheptium	246 Uuq ununoctium	247 Uus ununnonium	248 Uuo unundecium	249 Uuh unundundecium	250 Uub ununbium	251 Uut ununtrium	252 Uuq ununquadium	253 Uup ununpentium	254 Uuq ununhexium	255 Uub ununheptium	256 Uuq ununoctium	257 Uus ununnonium	258 Uuo unundecium	259 Uuh unundundecium	260 Uub ununbium	261 Uut ununtrium	262 Uuq ununquadium	263 Uup ununpentium	264 Uuq ununhexium	265 Uub ununheptium	266 Uuq ununoctium	267 Uus ununnonium	268 Uuo unundecium	269 Uuh unundundecium	270 Uub ununbium	271 Uut ununtrium	272 Uuq ununquadium	273 Uup ununpentium	274 Uuq ununhexium	275 Uub ununheptium	276 Uuq ununoctium	277 Uus ununnonium	278 Uuo unundecium	279 Uuh unundundecium	280 Uub ununbium	281 Uut ununtrium	282 Uuq ununquadium	283 Uup ununpentium	284 Uuq ununhexium	285 Uub ununheptium	286 Uuq ununoctium	287 Uus ununnonium	288 Uuo unundecium	289 Uuh unundundecium	290 Uub ununbium	291 Uut ununtrium	292 Uuq ununquadium	293 Uup ununpentium	294 Uuq ununhexium	295 Uub ununheptium	296 Uuq ununoctium	297 Uus ununnonium	298 Uuo unundecium	299 Uuh unundundecium	300 Uub ununbium	301 Uut ununtrium	302 Uuq ununquadium	303 Uup ununpentium	304 Uuq ununhexium	305 Uub ununheptium	306 Uuq ununoctium	307 Uus ununnonium	308 Uuo unundecium	309 Uuh unundundecium	310 Uub ununbium	311 Uut ununtrium	312 Uuq ununquadium	313 Uup ununpentium	314 Uuq ununhexium	315 Uub ununheptium	316 Uuq ununoctium	317 Uus ununnonium	318 Uuo unundecium	319 Uuh unundundecium	320 Uub ununbium	321 Uut ununtrium	322 Uuq ununquadium	323 Uup ununpentium	324 Uuq ununhexium	325 Uub ununheptium	326 Uuq ununoctium	327 Uus ununnonium	328 Uuo unundecium	329 Uuh unundundecium	330 Uub ununbium	331 Uut ununtrium	332 Uuq ununquadium	333 Uup ununpentium	334 Uuq ununhexium	335 Uub ununheptium	336 Uuq ununoctium	337 Uus ununnonium	338 Uuo unundecium	339 Uuh unundundecium	340 Uub ununbium	341 Uut ununtrium	342 Uuq ununquadium	343 Uup ununpentium	344 Uuq ununhexium	345 Uub ununheptium	346 Uuq ununoctium	347 Uus ununnonium	348 Uuo unundecium	349 Uuh unundundecium	350 Uub ununbium	351 Uut ununtrium	352 Uuq ununquadium	353 Uup ununpentium	354 Uuq ununhexium	355 Uub ununheptium	356 Uuq ununoctium	357 Uus ununnonium	358 Uuo unundecium	359 Uuh unundundecium	360 Uub ununbium	361 Uut ununtrium	362 Uuq ununquadium	363 Uup ununpentium	364 Uuq ununhexium	365 Uub ununheptium	366 Uuq ununoctium	367 Uus ununnonium	368 Uuo unundecium	369 Uuh unundundecium	370 Uub ununbium	371 Uut ununtrium	372 Uuq ununquadium	373 Uup ununpentium	374 Uuq ununhexium	375 Uub ununheptium	376 Uuq ununoctium	377 Uus ununnonium	378 Uuo unundecium	379 Uuh unundundecium	380 Uub ununbium	381 Uut ununtrium	382 Uuq ununquadium	383 Uup ununpentium	384 Uuq ununhexium	385 Uub ununheptium	386 Uuq ununoctium	387 Uus ununnonium	388 Uuo unundecium	389 Uuh unundundecium	390 Uub ununbium	391 Uut ununtrium	392 Uuq ununquadium	393 Uup ununpentium	394 Uuq ununhexium	395 Uub ununheptium	396 Uuq ununoctium	397 Uus ununnonium	398 Uuo unundecium	399 Uuh unundundecium	400 Uub ununbium	401 Uut ununtrium	402 Uuq ununquadium	403 Uup ununpentium	404 Uuq ununhexium	405 Uub ununheptium	406 Uuq ununoctium	407 Uus ununnonium	408 Uuo unundecium	409 Uuh unundundecium	410 Uub ununbium	411 Uut ununtrium	412 Uuq ununquadium	413 Uup ununpentium	414 Uuq ununhexium	415 Uub ununheptium	416 Uuq ununoctium	417 Uus ununnonium	418 Uuo unundecium	419 Uuh unundundecium	420 Uub ununbium	421 Uut ununtrium	422 Uuq ununquadium	423 Uup ununpentium	424 Uuq ununhexium	425 Uub ununheptium	426 Uuq ununoctium	427 Uus ununnonium	428 Uuo unundecium	429 Uuh unundundecium	430 Uub ununbium	431 Uut ununtrium	432 Uuq ununquadium	433 Uup ununpentium	434 Uuq ununhexium	435 Uub ununheptium	436 Uuq ununoctium	437 Uus ununnonium	438 Uuo unundecium	439 Uuh unundundecium	440 Uub ununbium	441 Uut ununtrium	442 Uuq ununquadium	443 Uup ununpentium	444 Uuq ununhexium	445 Uub ununheptium	446 Uuq ununoctium	447 Uus ununnonium	448 Uuo unundecium	449 Uuh unundundecium	450 Uub ununbium	451 Uut ununtrium	452 Uuq ununquadium	453 Uup ununpentium	454 Uuq ununhexium	455 Uub ununheptium	456 Uuq ununoctium	457 Uus ununnonium	458 Uuo unundecium	459 Uuh unundundecium	460 Uub ununbium	461 Uut ununtrium	462 Uuq ununquadium	463 Uup ununpentium	464 Uuq ununhexium	465 Uub ununheptium	466 Uuq ununoctium	467 Uus ununnonium	468 Uuo unundecium	469 Uuh unundundecium	470 Uub ununbium	471 Uut ununtrium	472 Uuq ununquadium	473 Uup ununpentium	474 Uuq ununhexium	475 Uub ununheptium	476 Uuq ununoctium	477 Uus ununnonium	478 Uuo unundecium	479 Uuh unundundecium	480 Uub ununbium	481 Uut ununtrium	482 Uuq ununquadium	483 Uup ununpentium	484 Uuq ununhexium	485 Uub ununheptium	486 Uuq ununoctium	487 Uus ununnonium	488 Uuo unundecium	489 Uuh unundundecium	490 Uub ununbium	491 Uut ununtrium	492 Uuq ununquadium	493 Uup ununpentium	494 Uuq ununhexium	495 Uub ununheptium	496 Uuq ununoctium	497 Uus ununnonium	498 Uuo unundecium	499 Uuh unundundecium	500 Uub ununbium	501 Uut ununtrium	502 Uuq ununquadium	503 Uup ununpentium	504 Uuq ununhexium	505 Uub ununheptium	506 Uuq ununoctium	507 Uus ununnonium	508 Uuo unundecium	509 Uuh unundundecium	510 Uub ununbium	511 Uut ununtrium	512 Uuq ununquadium	513 Uup ununpentium	514 Uuq ununhexium	515 Uub ununheptium	516 Uuq ununoctium	517 Uus ununnonium	518 Uuo unundecium	519 Uuh unundundecium	520 Uub ununbium	521 Uut ununtrium	522 Uuq ununquadium	523 Uup ununpentium	524 Uuq ununhexium	525 Uub ununheptium	526 Uuq ununoctium	527 Uus ununnonium	528 Uuo unundecium	529 Uuh unundundecium	530 Uub ununbium	531 Uut ununtrium	532 Uuq ununquadium	533 Uup ununpentium	534 Uuq ununhexium	535 Uub ununheptium	536 Uuq ununoctium	537 Uus ununnonium	538 Uuo unundecium	539 Uuh unundundecium	540 Uub ununbium	541 Uut ununtrium	542 Uuq ununquadium	543 Uup ununpentium	544 Uuq ununhexium	545 Uub ununheptium	546 Uuq ununoctium	547 Uus ununnonium	548 Uuo unundecium	549 Uuh unundundecium	550 Uub ununbium	551 Uut ununtrium	552 Uuq ununquadium	553 Uup ununpentium	554 Uuq ununhexium	555 Uub ununheptium	556 Uuq ununoctium	557 Uus ununnonium	558 Uuo unundecium	559 Uuh unundundecium	560 Uub ununbium	561 Uut ununtrium	562 Uuq ununquadium	563 Uup ununpentium	564 Uuq ununhexium	565 Uub ununheptium	566 Uuq ununoctium	567 Uus ununnonium	568 Uuo unundecium	569 Uuh unundundecium	570 Uub ununbium	571 Uut ununtrium	572 Uuq ununquadium	573 Uup ununpentium	574 Uuq ununhexium	575 Uub ununheptium	576 Uuq ununoctium	577 Uus ununnonium	578 Uuo unundecium	579 Uuh unundundecium	580 Uub ununbium	581 Uut ununtrium	582 Uuq ununquadium	583 Uup ununpentium	584 Uuq ununhexium	585 Uub ununheptium	586 Uuq ununoctium	587 Uus ununnonium	588 Uuo unundecium	589 Uuh unundundecium	590 Uub ununbium	591 Uut ununtrium	592 Uuq ununquadium	593 Uup ununpentium	594 Uuq ununhexium	595 Uub ununheptium	596 Uuq ununoctium	597 Uus ununnonium	598 Uuo unundecium	599 Uuh unundundecium	600 Uub ununbium	601 Uut ununtrium	602 Uuq ununquadium	603 Uup ununpentium	604 Uuq ununhexium	605 Uub ununheptium	606 Uuq ununoctium	607 Uus ununnonium	608 Uuo unundecium	609 Uuh unundundecium	610 Uub ununbium	611 Uut ununtrium	612 Uuq ununquadium	613 Uup ununpentium	614 Uuq ununhexium	615 Uub ununheptium	616 Uuq ununoctium	617 Uus ununnonium	618 Uuo unundecium	619 Uuh unundundecium	620 Uub ununbium	621 Uut ununtrium	622 Uuq ununquadium	623 Uup ununpentium	624 Uuq ununhexium	625 Uub ununheptium	626 Uuq ununoctium	627 Uus ununnonium	628 Uuo unundecium	629 Uuh unundundecium	630 Uub ununbium	631 Uut ununtrium	632 Uuq ununquadium	633 Uup ununpentium	634 Uuq ununhexium	635 Uub ununheptium	636 Uuq ununoctium	637 Uus ununnonium	638 Uuo unundecium	639 Uuh unundundecium	640 Uub ununbium	641 Uut ununtrium	642 Uuq ununquadium	643 Uup ununpentium	644 Uuq ununhexium	645 Uub ununheptium	646 Uuq ununoctium	647 Uus ununnonium	648 Uuo unundecium	649 Uuh unundundecium	650 Uub ununbium	651 Uut ununtrium	652 Uuq ununquadium	653 Uup ununpentium	654 Uuq ununhexium	655 Uub ununheptium	656 Uuq ununoctium	657 Uus ununnonium	658 Uuo unundecium	659 Uuh unundundecium	660 Uub ununbium	661 Uut ununtrium	662 Uuq ununquadium	663 Uup ununpentium	664 Uuq ununhexium	665 Uub ununheptium	666 Uuq ununoctium	667 Uus ununnonium	668 Uuo unundecium	669 Uuh unundundecium	670 Uub ununbium	671 Uut ununtrium	672 Uuq ununquadium	673 Uup ununpentium	674 Uuq ununhexium	675 Uub ununheptium	676 Uuq ununoctium	677 Uus ununnonium	678 Uuo unundecium	679 Uuh unundundecium	680 Uub ununbium	681 Uut ununtrium	682 Uuq ununquadium	683 Uup ununpentium	684 Uuq ununhexium	685 Uub ununheptium	686 Uuq ununoctium	687 Uus ununnonium	688 Uuo unundecium	689 Uuh unundundecium	690 Uub ununbium	691 Uut ununtrium	692 Uuq ununquadium	693 Uup ununpentium	694 Uuq ununhexium	695 Uub ununheptium	696 Uuq ununoctium	697 Uus ununnonium	698 Uuo unundecium	699 Uuh unundundecium	700 Uub ununbium	701 Uut ununtrium	702 Uuq ununquadium	703 Uup ununpentium	704 Uuq ununhexium	705 Uub ununheptium	706 Uuq ununoctium	707 Uus ununnonium	708 Uuo unundecium	709 Uuh unundundecium	710 Uub ununbium	711 Uut ununtrium	712 Uuq ununquadium	713 Uup ununpentium	714 Uuq ununhexium	715 Uub ununheptium	716 Uuq ununoctium	7

1. Atomic Structure

1. Label the diagram of the structure of the atom



(3 marks)

2. Complete the table below:

Subatomic particle	Relative mass	Relative charge	Location

(3 marks)

3. Define the term atomic number.

(1 marks)

4. Define the term mass number.

(1 marks)

5. Define the term relative atomic mass.

(2 marks)

6. Define the term isotope.

(2 marks)

7. Copper has two stable isotopes, ^{63}Cu and ^{65}Cu , with their relative abundances are 69% and 31%, respectively. Calculate the relative atomic mass of copper.

(3 marks)

8. Sulfur has two stable isotopes, ^{32}S and ^{34}S , with their relative abundances are 95% and 5%, respectively. Calculate the relative atomic mass of sulfur.

(3 marks)

9. Magnesium has three stable isotopes, ^{24}Mg , ^{25}Mg and ^{26}Mg , with their relative abundances are 79%, 10% and 11%, respectively. Calculate the relative atomic mass of magnesium

(3 marks)

10. Ions are charged particles, the charge on an ion occurs because it has different numbers of protons and electrons. State the number of protons, neutrons and electrons in the atoms and ions in the table below (the first one has been completed for you)

	Number of protons	Number of neutrons	Number of electrons
3+ ion of ^{33}S	16	17	13
atom of ^{26}Mg			
2+ ion of ^{63}Cu			
3- ion of ^{16}N			
1- ion of ^{128}I			
4+ ion of ^{13}C			

(5 marks)

11. Complete the table to show the electron configuration of the first 20 elements

(8 marks)

H

							He
Li	Be	B	C	N	O	F	Ne
Na	Mg	Al	Si	P	S	Cl	Ar
K	Ca						

2. Periodic table

1. In terms of electron configuration, what do elements in the same group have in common?

(2 marks)

2. In terms of electron configuration, what do elements in the same period have in common?

(1 mark)

3. What is the name for group 1 elements?

(1 mark)

4. What is the name for group 7 elements?

(1 mark)

5. What is the name for group 0 elements?

(1 mark)

6. Describe the reaction of group 1 elements with water. Include 2 observations, the trend in reactivity going down the group and the two products.

(5 marks)

7. Describe the reaction of group 1 elements with group 7 elements. Include 2 observations, the trend in reactivity going down the group and the one product.

(4 marks)

8. Explain why the reactivity of group 1 increases going down the group but the reactivity of group 7 decreases going down the group.

[illegible]







(6 marks)

3. Stoichiometry

Chemical equations show the amount of each substance in a chemical reaction. The ratios of the substances are known as stoichiometric relationships. You have seen stoichiometry without knowing it at GCSE when you calculated reacting masses etc. If we know the amount of each substance that is reacting, we can calculate:

- Reacting masses
- Empirical formula
- Percentage yield
- Atom economy
- Titration calculations
- Volumes and concentration of solutions

1. Balance the following equations: (7 marks)



4. Amount of substance

Atoms and molecules are very small – far too small to count individually! They also have different masses. So, we can't easily do calculations involving chemical reaction by counting particles or by weighing them. But it is important to know how much of each substance we have, so we use a unit for amount of substance called a **mole**.

You are already familiar with some units for amount of substance:

- A dozen eggs = 12 eggs
- A baker's dozen = 13
- A team = 5, 11, 15 etc depending on the sport
- A ream of paper = 500 sheets

In chemistry:

$$1 \text{ mole} = 6.02 \times 10^{23} \text{ particles}$$

6.02×10^{23} is known as Avogadro's, N_A constant and it is given on your Data Sheet (see p.5).

Every substance has a molar mass, which is the mass of 1 mole of the substance. There are 3 types of molar mass:

- Relative atomic mass, A_r = mass of one mole of an element
- Relative formula mass, M_r = mass of one mole of a formula unit
- Relative formula molecular, M_r = mass of one mole of molecules

1. Complete the glossary below:

Key term	Meaning
Mass	
Volume	
Mole	
Molar mass	
Avogadro's constant	
Concentration	
Relative atomic mass, A_r	
Relative formula mass, M_r	
Relative molecular mass, M_r	

(9 marks)

2. Convert the following into grams:

a) 0.25 kg

b) 15 kg

c) 100 tonnes

d) 2 tonnes

(4 marks)

3. Convert the following into dm^3 :

a) 100 cm^3

b) 25 cm^3

c) 50 m^3

d) 50000 cm^3

(4 marks)

Amount of substance in moles can be calculated using the equation:

$$\text{amount of substance (mol)} = \frac{\text{mass (g)}}{\text{molar mass (g/mol)}}$$

4. If you have 2.5×10^{21} atoms of magnesium, what is the amount in moles?

(2 marks)

5. If you have 1.505×10^{23} moles of carbon dioxide, what is the amount in moles?

(2marks)

6. For the following questions, calculate the amount of substance in moles, mol:

a) 2.3 g of Na

(2marks)

b) 2.5 g of O₂

(2marks)

c) 240000 g of CO₂

(2marks)

d) 12.5 g of Al(OH)₃

(2marks)

e) 5.2 g of PbO₂

(2marks)

7. For the following questions, calculate the mass in grams, g:

a) 0.05 moles of Cl₂

(2marks)

b) 0.125 moles of KBr

(2marks)

c) 0.075 moles of $\text{Ca}(\text{OH})_2$

(2marks)

d) 250 moles of Fe_2O_3

(2marks)

e) 0.02 moles of $\text{Al}_2(\text{SO}_4)_3$

(2marks)

8. For the following questions, calculate the molar mass in grams per mole, g/mol:

a) 0.015 moles, 0.42 g

(2marks)

b) 0.0125 moles, 0.50 g

(2marks)

c) 0.55 moles, 88 g

(2marks)

d) 2.25 moles, 63 g

(2marks)

e) 0.00125 moles, 0.312 g

(2marks)

Concentration can be calculated using the equation:

$$\text{concentration (mol/dm}^3\text{)} = \frac{\text{amount of substance (mol)}}{\text{volume (dm}^3\text{)}}$$

or the equation:

$$\text{concentration (g/dm}^3\text{)} = \frac{\text{mass (g)}}{\text{volume (dm}^3\text{)}}$$

9. For the following questions, calculate the amount in moles:

a) 25 cm³ of 0.1 mol dm⁻³ HCl

(2marks)

b) 40 cm³ of 0.2 mol dm⁻³ HNO₃

(2marks)

c) 10 cm³ of 1.5 mol dm⁻³ NaCl

(2marks)

d) 5 cm³ of 0.5 mol dm⁻³ AgNO₃

(2marks)

e) 50 cm³ of 0.1 mol dm⁻³ H₂SO₄

(2marks)

10. For the following questions, calculate the molar concentration (in mol/dm³) and the mass concentration (in g/dm³):

a) 0.05 moles of HCl in 20 cm³

(2marks)

b) 0.01 moles of NaOH in 25 cm³

(2marks)

c) 0.002 moles of H₂SO₄ in 16.5 cm³

(2marks)

d) 0.02 moles of CuSO₄ in 200 cm³

(2marks)

e) 0.1 moles of NH₃ in 50 cm³

(2marks)

All gases take up the same amount of space if they are in the same conditions. At room temperature and pressure (RTP) 1 mole of any gas has a volume of 24 dm³ (see Data Sheet, p.5). So you can find the amount of gas in moles if you are given the **volume** of the gas:

$$\text{amount of substance (mol)} = \frac{\text{volume (dm}^3\text{)}}{24}$$

Volume MUST be measured in dm³!

11. For the following questions, calculate the amount in moles:

a) 48 dm³ of O₂

(2marks)

b) 1.2 dm³ of CO₂

(2marks)

c) 200 cm³ of N₂

(2marks)

d) 100 dm³ of Cl₂

(2marks)

e) 60 cm³ of NO₂

(2marks)

12. For the following questions, calculate the volume:

a) 0.05 moles of Cl₂

(2marks)

b) 0.25 moles of CO₂

(2marks)

c) 28 g of N₂

(2marks)

d) 3.2 g of O₂

(2marks)

e) 20 g of NO_2

(2marks)

13. For the following questions, calculate the mass:

a) 48 dm^3 of O_2

(2marks)

b) 1.2 dm^3 of CO_2

(2marks)

c) 200 cm^3 of N_2

(2marks)

d) 100 dm^3 of Cl_2

(2marks)

e) 60 cm^3 of NO_2

(2marks)

Density is a measure of how much matter exists in a given volume, it is calculated using the equation:

$$\text{density (g/cm}^3\text{)} = \frac{\text{mass (g)}}{\text{volume (cm}^3\text{)}}$$

14. For the following questions, calculate the density:

a) 50g in a volume of 30cm³

(2marks)

b) 0.2g in a volume of 300cm³

(2marks)

c) 700g in a volume of 2cm³

(2marks)

d) 25g in a volume of 45cm³

(2marks)

e) 800g in a volume of 90cm³

(2marks)


5. Structure and bonding

Metallic bonding

Occurs between metals.

Metallic bonds are formed when atoms lose electrons and the resulting electrons have an **electrostatic force of attraction** to all the resulting positive ions. The 'lost' electrons become delocalised and are able to move throughout the giant metallic lattice.

E.g. Magnesium atoms lose two electrons each, and the resulting electrons are attracted to all the positive ions.










Ionic bonding

Occurs between a metal and a non-metal.

Ionic bonding is an **electrostatic force of attraction** between oppositely charged ions, which are formed by the transfer of electrons from one atom to another. Ionic compounds form giant ionic lattice.

E.g. In sodium chloride, each sodium atom transfers an electron to a chlorine atom. The result is a sodium ion and a chloride ion. These two ions have an **electrostatic force of attraction** to each other and form a stable compound.




Covalent bonds

Occurs between non-metals.

A covalent bond is a pair of electrons shared between two atoms. In a single covalent bond, each atom provides one of the electrons in the bond. A covalent bond is represented by two overlapped electron shells with a shared pair of electron or a short straight line between the two atoms.

E.g. water



Covalent bonds happen between two specific atoms rather than between all the atoms in a molecule. For that reason, covalent bonding can give rise to simple covalent molecules where a small number of atoms are covalently bonded together e.g. water, carbon dioxide, polyethene and giant covalent structures where enormous numbers of atoms are covalently bonded e.g. diamond, graphite, silicon dioxide.

1. Complete the paragraph below using the following words:-

loses ions ionic protons negative electrons positive gains

Atoms are neutral because they have the same number of _____ and _____. If atoms lose or gain electrons they become electrically charged and are called _____ (they are not atoms any more). If atoms gain electrons they become _____ ions, and if they lose electrons they become _____ ions.

When a metal reacts with a non-metal, the metal atoms _____ electrons and the non-metal atoms _____ electrons, forming an _____ compound.

(8 marks)

2. Draw dot and cross diagrams for the following compounds (only show the outer shell electrons):

a) NaCl

(4 marks)

b) MgCl_2

(4 marks)

c) Cl_2

(4 marks)

d) H_2O

(4 marks)

e) NH_3

(4 marks)

3. Describe the structure and bonding in magnesium chloride.

(5 marks)

4. These questions are about ionic substances:

a) Explain why ionic substances have high melting and boiling points.

(2marks)

b) Explain why ionic substances can conduct electricity when molten or dissolved.

(2marks)

c) Explain why ionic substances cannot conduct electricity when solid.

(2marks)

5. Deduce the chemical formulae of the following ionic compounds:

a) Calcium chloride

_____ (1mark)

b) Sodium oxide

_____ (1mark)

c) Magnesium sulphide

_____ (1mark)

d) Aluminium hydroxide

_____ (1mark)

e) Potassium carbonate

_____ (1mark)

f) Calcium nitrate

_____ (1mark)

6. Predict which of the following pairs of substances is likely to have the higher melting point, giving reasons for your choice:

a) Na and Mg

(2marks)

b) NaCl and NaBr

(2marks)

c) Graphite and oxygen

(2marks)

d) Ne and Ar

(2marks)

e) SiO_2 and CO_2

(2marks)

6. Acids and alkalis

1. Complete the following general equations for the reactions of acids:

a) acid + metal $\rightarrow$ _____ + _____

b) acid + metal oxide $\rightarrow$ _____ + _____

c) acid + metal hydroxide $\rightarrow$ _____ + _____

d) acid + metal carbonate $\rightarrow$ _____ + _____ + _____

(4marks)

2. What is the ionic equation for the reaction of an acid with a metal hydroxide?

(1mark)

3. Describe the difference between a concentrated and a dilute solution.


(1mark)

4. Describe the difference between a strong and a weak acid.

(1mark)

5. Complete the diagram to show the particles of a strong, dilute acid, a weak, concentrated acid and a weak, dilute acid.(6 marks)

strong, concentrated acid	strong, dilute acid
weak, concentrated acid	weak, dilute acid



7. Redox


1. Define oxidation and reduction in terms of oxygen.

_____ (1mark)


2. Define oxidation and reduction in terms of electrons.

_____ (2marks)


3. In the following reaction identify which element is oxidised and which element is reduced:




oxidised = _____ reduced = _____ (2 marks)




oxidised = _____ reduced = _____ (2 marks)



oxidised = _____ reduced = _____ (2 marks)



oxidised = _____ reduced = _____ (2 marks)



oxidised = _____ reduced = _____ (2 marks)

8. Rate of reaction

The rate of a reaction can be determined by measuring the amount of reactant used up or the amount of product made in a given time. The equation and units used will depend on the reaction and the state of the reactant or product being measured.

$$\text{rate of reaction (dm}^3/\text{s)} = \frac{\text{volume of reactant used (dm}^3\text{)}}{\text{time taken (s)}}$$

$$\text{rate of reaction (g/s)} = \frac{\text{mass of reactant used (g)}}{\text{time taken (s)}}$$

$$\text{rate of reaction (dm}^3/\text{s)} = \frac{\text{volume of product formed (dm}^3\text{)}}{\text{time taken}}$$

$$\text{rate of reaction (g/s)} = \frac{\text{mass of product formed (g)}}{\text{time taken (s)}}$$

Rate of reaction can be determined using information from graphs.

- The following questions are about a reaction where the volume of gas produced was measured. The reaction was carried out at two different temperatures to observe the effect of temperature on rate of reaction.

a) Plot the data below as a graph on graph paper.

Time (s)	Volume of gas produced (cm ³)	
	20°C	40°C
0	0	0
50	22	36
100	33	40
150	39	40
200	40	40
250	40	40
300	40	40

(5 marks)

For the following questions, you must show (by marking with a pencil and ruler) on your graph, how you obtained your data.

- b) For the reaction conducted at 40°C, what is the rate of reaction across the first 150s?

(3 marks)

c) For the reaction conducted at 40°C, what is the rate of reaction across the first 50s?

(3 marks)

d) For the reaction conducted at 40°C, what is the rate of reaction across the first 10s?


(3 marks)


e) For the reaction conducted at 20°C, what is the rate of reaction at 30s?

(4 marks)

f) For the reaction conducted at 20°C, what is the rate of reaction at 100s?

(3 marks)





2. The following questions are about a reaction where the loss of mass was measured.

a) Plot the data below as a graph on graph paper.

Time (min)	Mass of flask (g)
1	102.80
2	101.30
3	100.30
4	99.75
5	99.60
6	99.10
7	99.00
8	99.00
9	99.00
10	99.00

(5 marks)

b) On your graph, identify the anomalous result.

(1 mark)

For the following questions, you must show (by marking with a pencil and ruler) on your graph, how you obtained your data. You can quote rate of reaction per minute.

c) What is the rate of reaction across the first 4min?

(3 marks)

d) What is the rate of reaction across the first 6min?

(3 marks)

e) What is the rate of reaction between 2min and 5min?


(3 marks)


f) What is the rate of reaction at 30s?

(4 marks)

g) What is the rate of reaction at 1min?

(4 marks)





9. Organic chemistry

1. Complete the table below about the homologous series of organic compounds studied at GCSE. (Note: if you took combined science, you may not have studied some so you will need to research them.) The some sections have been completed for you.

Name of homologous series	Suffix	Functional group	General formula	Notes
Alkane	-ane	n/a	C_nH_{2n+2}	Saturated hydrocarbon. Good fuels. The more carbon atoms, the higher the boiling point and viscosity.
Alkene		n/a		
Alcohol		-OH		
Carboxylic acid				
Ester	(you only need to name ethyl ethanoate)		n/a	

Optional research task

This task is optional. If you complete it, please hand in your work to your chemistry teacher in the first lesson.

Chose from the following options:

A. Answer the question 'What is the impact of catalytic converters on air pollution and climate change?'

B. Answer the question 'How and why has the model of the atom changed over time?'

C. Answer the question 'How and why has the periodic table changed over time?'

In each case, you should include diagrams and graphs where relevant and reference your work by including a bibliography.